

FOR:

STATE OF ALABAMA

DEPTARTMENT OF FINANCE DIVISION OF PURCHASING

INVITATION TO BID

FIRE FIGHTING EQUIP. & CLOTHING

REQ. AGENCY : 999999

PURCHASING DIVISION

T-NUMBER DATE ISSUED : 07/17/09

AGENCY REQ. NO.

VENDOR NO.
VENDOR PHONE NO.
SNAP REQ. NO.
BUYER NAME : 1417537 : JENNIFER LORETZ

BUYER PHONE NO. : (334) 242-7370-PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE: DATE: 08/19/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED: DATE: 08/20/09 TIME: 10:00 AM

FAX NUMBER

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTIO MUST BE IN INK OR TYPED WI		AS APPROPRIATE. BID RESPONSE AND NOTARIZATION.		
1. DELIVERY: CAN BE MADE	DAYS OR	WEEKS AFTER RECEIPT OF ORDER		
2. TERMS:(DISCOUNTS ARE TAKEN WI	THOUT REGARD TO DATE OF PAYMENT.)		
3. PRICE VALID FOR ACCEPTAN	CE WITHIN	DAYS.		
4. VENDOR QUOTATION REFEREN (THIS NUMBER WILL APPEAR		.)		
5. E-MAIL ADDRESS:				
INTERNET WEBSITE:				
6. GENERAL CONTRACTOR'S LIC	ENSE NO:			
TYPE OF G.C. LICENSE:				
RETURN INVITATION TO BI	D:			
US MAIL		COURIER		
STATE OF ALABAMA DEPARTMENT OF FI DIVISION OF PURC P O BOX 302620 MONTGOMERY, AL 3	NANCE HASING	STATE OF ALABAMA DIVISION OF PURCHASING RSA UNION BUILDING 100 N. UNION ST., SUITE 192 MONTGOMERY, AL 36104		
BIDDERS MUST COMPLY WITH ITEM 7 - COPY REQUIREMEN		***** TRUCTIONS" ON PAGE 2, TO INCLUDE		
I HAVE READ THE ENTIRE BID I HERBY AFFIRM I HAVE NOT B	EEN IN ANY AGREEMENT O	N REQUIRED ACH ITEM OFFERED AT THE PRICE QUOTED. R COLLUSION AMONG BIDDERS IN TO BID AT A FIXED PRICE OR TO		
SWORN TO AND	FEIN OR SSN	AUTHORIZED SIGNATURE (INK)		
SUBSCRIBED BEFORE ME THIS	COMPANY NAME	TYPE/PRINT AUTHORIZED NAME		
DAY OF	MAIL ADDRESS	TITLE		
NOTARY PUBLIC	CITY, STATE, ZIP	TOLL FREE NUMBER		
TERM EXP:	,,			

PHONE INCLUDING AREA CODE

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

09-X-2206810

PAGE

2

OPEN DATE 08/20/09 TIME: 10:00 AM INVITATION TO BID

T-NUMBER T235 RETURN DATE: 08/19/09 TIME: 5:00 PM

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF T HIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV.

INFORMATION AND ASSISTANCE TO MINORITY BUSINESSES IN THE TECHNICAL COMPLETION OF REQUIRED FORMS MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 04/07/09

- TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
- BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPERATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
- BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
- THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
- RETURN PAGE 1 MARKED "NO-BID" A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/ SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
- 6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
- THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE.
- AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURUIG REGULAR WORK HOURS, MONDAY FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX

RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED BID RECEIVED LATE

BID NOT SIGNED/NOT ORIGINAL SIGNATURE

BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION

NOTARIZED OWN SIGNATURE

REQUIRED INFORMATION NOT SUBMITTED WITH BID

FAÎLURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY WILL RESULT IN REJECTION OF THE BID RESPONSE

FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

VENDOR NUMBER:

ITB NO.

: 09-X-2206810 : 08/20/09 TIME: 10:00 AM OPEN DATE

PAGE

3

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE
UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF
ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY
ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE
REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL TI OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

INVITATION TO BID

VENDOR NUMBER:

09-X-2206810 ITB NO.

OPEN DATE 08/20/09 TIME: 10:00 AM PAGE

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

AWARD:

AWARD WILL BE BY INDIVIDUAL ITEM, OR GROUPS OF ITEMS (IF INDICATED) TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

DEFAULT:

WHEN A VENDOR DEFAULTS ON A CONTRACT/PURCHASE ORDER, THE STATE CAN PROCURE THE GOODS OR SERVICES FROM OTHER SOURCES AND HOLD THE VENDOR RESPONSIBLE FOR ANY EXCESS IN PRICE/HANDLING. ALSO, THE VENDOR'S CONTRACT MAY BE CANCELED, AND THE VENDOR MAY BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

VENDORS ARE CAUTIONED TO SUPPLY THE EXACT EQUIPMENT THEY BID ON THIS CONTRACT. FAILURE TO SUPPLY THE EXACT EQUIPMENT WILL BE CONSIDERED AS DEFAULT. AS A RESULT, THE VENDOR'S CONTRACT WILL BE CANCELED, AND THE VENDOR WILL BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

DELIVERY TIME FRAME:

UNLESS OTHERWISE STATED, ALL ITEMS ORDERED MUST BE DELIVERED TO THE "SHIP TO" ADDRESS SHOWN ON THE P.O. WITHIN THIRTY (30) DAYS OF VENDOR'S RECEIPT OF ORDER.

ITEMS ARE TO BE DELIVERED TO VARIOUS LOCATIONS THROUGHOUT THE 67 COUNTIES IN ALABAMA. THE EXACT LOCATIONS AND QUANTITIES WILL BE PROVIDED BY THE REQUISITING AGENCY.

THE VENDOR MUST MAINTAIN AN INVENTORY SUFFICIENT TO MAKE SHIPMENT ON ALL ORDERS WITHIN THE TIMEFRAME STATED IN THE SOLICITATION.

RETURN FREIGHT & STORAGE CHARGES:

THE VENDOR IS RESPONSIBILE FOR ANY STORAGE AND/OR RETURN FREIGHT CHARGES INCURRED BY THE STATE AS A RESULT OF VENDOR'S FAILURE TO CONFORM TO PRODUCT SPECIFICATIONS AND APPROVALS/STANDARDS.

FREIGHT TERMS:

ALL ORDERS SHALL BE F.O.B. DESTINATION TO ANY POINT IN ALABAMA. ITEN WILL BE DELIVERED TO THE OFFICE OF THE ORDERING AGENCY LISTED ON THE PURCHASE ORDER WITH ALL FREIGHT CHARGES PAID BY THE VENDOR. DOCK DELIVERIES ARE NOT ACCEPTABLE.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICES. DO NOT INCLUDE FREIGHT AS A SEARATE LINE ITEM.

CONTRACT PERIOD:

CONTRACT PERIOD:

ESTABLISH A 12 MONTH CONTRACT WITH AN OPTION TO EXTEND FOR A SECOND,
THIRD, FOURTH, AND FIFTH 12 MONTH PERIOD WITH THE SAME PRICING, TERMS
AND CONDITIONS. THE SECOND, THIRD, FOURTH, OR FIFTH 12 MONTH PERIOD,
IF AGREED BY BOTH PARTIES, WOULD BEGIN THE DAY AFTER THE FIRST,
SECOND, THIRD, OR FOURTH 12 MONTH PERIOD EXPIRES. ANY SUCCESSIVE
EXTENSION MUST HAVE WRITTEN APPROVAL OF BOTH THE STATE AND VENDOR NO LATER THAN 30 DAYS PRIOR TO EXPIRATION OF THE PREVIOUS 12 MONTH PERIOD.

DESCRIPTIVE LITERATURE:

THE BRANDS AND MODEL NUMBERS REFERENCED PROVIDE A LEVEL OF QUALITY, AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING ALTERNATE ITEMS MUST PROVIDE COMPLETE DESCRIPTIVE/TECHNICAL LITERATURE FOR CONSIDERATION AND EVALUATION WITH THEIR BID, AND WITH THE BID COPY PER ITEM NUMBER 7 ON PAGE 2. REFERENCE TO LITERATURE WITH A PREVIOUS BID WILL NOT SATISFY THIS REQUIREMENT. FAILURE TO PROVIDE THE REQUIRED LITERATURE WILL RESULT IN THE REJECTION OF THE BID.

INVITATION TO BID

VENDOR NUMBER:

PAGE

5

TTB NO. : 09-X-2206810 OPEN DATE : 08/20/09 TIME: 10:00 AM INVITATION TO BID

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

PHYSICAL INSPECTION AND OPERATIONAL EVALUATION MAY ALSO BE REQUIRED WITHOUT COST OR OBLIGATION TO THE STATE OF ALABAMA.

DESCRIPTIVE LITERATURE IS DEFINED AS THE MANUFACTURER'S SPECIFICATIONS AND/OR BROCHURES. NO HAND WRITTEN, TYPED, COMPUTER GENERATED OR REFERENCE TO ANY OTHER TYPE OF DOCUMENTATION WILL BE ACCEPTED. THE DOCUMENTATION SHOULD BE LABELED WITH THE BID LINE NUMBER. FAILURE TO DO SO COULD DELAY THE BID EVALUATION.

STANDARDS AND APPROVALS:

EQUIPMENT AND CLOTHING MUST MEET THE MOST CURRENT FEDERAL OSHA, I AND UL STANDARDS AS WELL AS NIOSH, AND NAFA STANDARDS. ANY LINE ITEM(S) NOT MEETING THESE STANDARDS WILL BE REJECTED.

ANY STANDARDS AND APPROVALS REQUIRED MUST BE STATED IN THE MANUFACTURER'S SPEFICIFICATION SHEETS AND/OR BROCHURES. NO OTHER REFERENCE TO THESE STANDARDS OR APPROVALS WILL BE ACCEPTED. IF THIS INFORMATION IS NOT INCLUDED IN THE MANUFACTURER'S DOCUMENTATION, THE LINE ITEM WILL BE REJECTED.

ALL EQUIPMENT: ALL EQUIPMENT DELIVERED MUST BE NEW, AND OF RECENT MANUFACTURE, FIRST CLASS IN EVERY RESPECT, AND SUITABLE FOR THEIR INTENDED PURPOSE.

ALL EQUIPMENT DELIVERED MUST BE THE EXACT EQUIPMENT LISTED ON THIS CONTRACT AS SHOWN. FAILURE TO DELIVER THE EXACT EQUIPMENT AS SHOWN WILL RESULT IN AN IMMEDIATE TERMINATION OF THE CONTRACT. THE VENDOR WILL BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

BLANK LINES:

TO EVALUATE THE BID IN AN EFFICIENT MANNER, THE VENDOR MUST FILL-IN ALL BLANK LINES APPLICABLE TO A SPECIFIC COMMODITY DESCRIPTION. THIS THE INFORMATION THAT WILL APPEAR ON THE ACTUAL TERM CONTRACT DOCUMENT. FAILURE TO FILL-IN THE BLANK LINES WILL RESULT IN THE BID ON THAT ITEM TO BE REJECTED. THIS

REQUESTED INFORMATION:

ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN FIVE (5) DAYS FROM RECEIPT OF REQUEST. FAILURE TO PROVIDE THE THE REQUESTED INFORMATION WITHIN THE 5 DAYS WILL RESULT IN THE BID ON THAT ITEM TO BE REJECTED.

PURPOSE:

ESTABLISH A CONTRACT FROM THE ITEMS LISTED FOR ALL STATE AGENCIES. CONTRACT PRICES ARE AVAILABLE TO ALL LOCAL GOVERNMENTAL AGENCIES AND

SAMPLES:

SAMPLES:
IF REQUESTED, AFTER THE BID IS OPENED, SAMPLES ARE TO BE FURNISHED AT VENDOR'S EXPENSE WITHIN FIVE (5) CALENDAR DAYS AFTER NOTIFICATION. IF NOT DESTROYED DURING EVALUATION, SAMPLES WILL BE RETURNED UPON REQUEST. THE REQUEST SHALL INCLUDE A UPS PICKUP SLIP OR OTHER MODE OF RETURN. INDIVIDUAL SAMPLES SHOULD BE LABELED WITH VENDOR NAME, ITB NUMBER, ITEM REFERENCE NUMBER, MANUFACTURER AND MODEL NUMBER. FAILURE TO FURNISH SAMPLES AS REQUESTED WILL RESULT IN LINE ITEM REJECTION.

GENERAL REQUIREMENTS FOR FIREFIGHTER'S PROTECTIVE CLOTHING

THE MANUFACTURER MUST BE LOCATED IN THE UNITED STATES.

ALL COATS AND PANTS DELIVERED UNDER THIS CONTRACT MUST HAVE A SEWN IN LABEL THAT INDICATES THE GARMENT HAS BEEN CERTIFIED BY UNDERWRITER'S LABORATORIES (U.L.) AS COMPLYING WITH THE NFPA 1971STANDARDS, MOST CURRENT EDITION.

SPECIAL TERMS & CONDITIONS

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER:

TTB NO. : 09-X-2206810 OPEN DATE : 08/20/09 TIME: 10:00 AM T-NUMBER : T235

PAGE 6

RETURN DATE: 08/19/09 TIME: 5:00 PM

DOCUMENTATION OF U.L. CERTIFICATION MUST BE PROVIDED WITH EACH STYLE BEING BID. FAILURE TO DO SO WILL RESULT IN LINE ITEM REJECTION.

THE FOLLOWING STYLES AND COLORS SHALL BE AVAILABLE "IN STOCK" FOR IMMEDIATE DELIVERY:

STYLES & COLORS: "GOOD LEVEL" - YELLOW WITH RED/ORANGE TRIM

"BETTER LEVEL" - KAHKI WITH LIME YELLOW TRIPLE TRIM

"BEST LEVEL A" - GOLD WITH LIME YELLOW TRIPLE TRIM

"BEST LEVEL B" - NO STOCKING REQUIREMENTS

HELMETS YELLOW AND BLACK

HELMETS - YELLOW AND BLACK

CLOTHING DELIVERY TERMS

ALL FIREFIGHTER'S CLOTHING ITEMS OF VARIOUS SIZES IDICATED ABOVE AS "IN STOCK" ITEMS SHALL BE DELIVERED WITHIN 30 DAYS OF RECEIPT OF ORDER. IF "IN-STOCK" ITEMS ARE DEPLETED, THE VENDOR SHALL HAVE UP TO 45 DAYS TO DELIVER COATS, PANTS OR SUPSENDERS AND UP TO 60 DAYS TO TO DELIVER HELMETS. DELIVERIES NOT MADE WITHIN THIS TIMEFRAME MAY BE REFUSED AND RETURNED AT THE VENDORS EXPENSE.

SPECIFICATIONS VENDOR NAME :

VENDOR NUMBER:

PAGE

ITB NO. : 09-X-2206810 OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

****** SPECIFICATIONS 200C10 FIREMAN HELMETS **************

CONSTRUCTION: OUTER SHELL AND INNER CROWN SHALL BE CONSTRUCTED OF HEAT-RESISTANT MATERIALS; DETACHABLE INNER CROWN CONSISTING OF A POLYPHENYLENE OXIDE INNER SHELL AND A URETHANE FOAM IMPACT LINER.

SUSPENSION: 6-POINT NYLON CROWN STRAP ANCHORED TO INNER CROWN ASSEMB-LY. ADJUSTMENTS INCLUDE AN INDEPENDENTLY ATTACHED HEADBAND WITH A POSITIVE TYPE LOCK SYSTEM.

HELMET SHALL HAVE AN ADJUSTIBLE NOMEX CHIN STRAP WITH QUICK-RELEASE BUCKLE, POSTMAN'S SLIDE FASTENER AND VELCRO RETURN. CHIN STRAP SHALL ANCHOR TO OUTER SHELL WITH DIELECTRIC BRACKET. EAR/NECK PROTECTOR MATERIAL SHALL BE RIP-STOP NOMEX WITH VELCRO ATTACHMENT. HARD COATED POLYCARBONATE FACESHIELD (4" X 15") SHALL BE MOUNTED TO HELMET BRIM AND ALLOW FOR A MINIMUM RETRACTABLILITY OF 90 DEGREES.

COLORS: SHALL BE AVAILABLE IN WHITE, RED, YELLOW, BLACK, ORANGE, BLUE AND LIME-YELLOW

WARRANTY: MANUFACTURER SHALL WARRANT TO THE ORIGINAL PURCHASER THAT THE ENTIRE HELMET (EXCLUDING FACESHIELD) IS FREE OF DEFECTS IN MATER-IAL AND WORKMANSHIP, UNDER NORMAL USE AND SERVICE FOR A PERIOD OF TWO (2) YEARS FROM DATE OF MANUFACTURE.

SPECIFICATION #200D01 FOR FIREFIGHTER COATS *********

TURNOUT COAT "GOOD" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COATS MUST BE TRADITIONAL 35" LENGTH DESIGN. AND OFFER A MINIMUM TPP VALUE OF 40.

COAT MUST HAVE A FIREFIGHTER RECOVERY HARNESS, DRAG RESCUE DEVICE.

MATERIAL COMPOSTION:

INVITATION TO BID

OUTER SHELL - 7.5 OZ. NOMEX IIIA; AVAILABLE IN NATURAL, YELLOW, BLACK, RED, AND TAN. MOISTURE BARRIER MUST BE BREATHABLE.
THERMAL LINER - NOMEX QUILT OR EQUAL

STYLE: 35" TRADITIONAL COAT WITH THE FOLLOWING FEATURES: -SNAPS AND HOOK & D-RINGS CLOSURE SYSTEM -TWO PATCH POCKETS ON LOWER HALF OF COAT; MINIMUM 10" X 10"

-NFPA 1971 COMPLIANT SCOTCHLITE REFLECTIVE TRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE.

TURNOUT PANTS - "GOOD" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

PANTS MUST BE TRADITIONAL WAIST DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

MATERIAL COMPOSTION:

OUTER SHELL - 7.5 OZ. NOMEX IIIA; AVAILABLE IN NATURAL, YELLOW, BLACK, RED, AND TAN MOISTURE BARRIER MUST BE BREATHABLE THERMAL LINER - NOMEX QUILT OR EQUAL

STYLE: TRADITIONAL PANTS WITH THE FOLLOWING FEATURES: -SNAPS AND HOOK & D-RINGS CLOSURE SYSTEM.

-TAKE-UP STRAP FOR ADJUSTMENT

-SUEDE LEATHER KNEE PATCHES; MINIMUM 9"X10", DOUBLE STITCHED NOMEX OR EQUAL PADDED KNEES, ADDITIONAL THERMAL PROTECTION, 2" SCOTHLITE

SPECIFICATIONS VENDOR NAME

VENDOR NUMBER:

ITB NO. : 09-X-2206810 OPEN DATE : 08/20/09 TIME: 10:00 AM INVITATION TO BID

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

PAGE

8

REFLECTIVE TRIM SHOULD BE SEWN AROUND CUFFS

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

****** SPECIFICATION #200D04 FOR FIREFIGHTER COATS

TURN-OUT COAT - "BETTER" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COAT MUST BE SHORT 32" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

COAT MUST HAVE A FIREFIGHTER RECOVERY HARNESS, DRAG RESCUE DEVICE.

- MATERIAL COMPOSITION:
 OUTER SHELL 7.0 NOMEX/KEVLAR "ADVANCE", AVAILABLE IN KHAKI, RUST,
- BLACK AND YELLOW.
 MOISTURE BARRIER MUST BE BREATHABLE
 THERMAL LINER "ARALITE" OR EQUAL

- STYLE: 32" SHORT COAT WITH THE FOLLOWING FEATURES:
 ZIPPER INNER, VELCRO OUTER CLOSURE SYSTEM
 TWO EXPANSION STYLE POCKETS ON LOWER HALF OF COAT; MINIMUM 9"X 9"
- KEVLAR HARD AND WRIST GUARDS RADIO POCKET WITH FLAP AND MICROPHONE CLIP
- NFPA 1971 COMPLIANT SCOTCHLITE NYC TRIPLE REFLECTIVE TRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE

SPECIFICATION #200D05 FOR FIREFIGHTER COATS

TURNOUT COAT - "BEST - A" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COAT MUST BE SHORT 32" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

COAT MUST HAVE A FIREFIGHTER RECOVERY HARNESS, DRAG RESCUE DEVICE.

MATERIAL COMPOSITION:

- OUTER SHELL 7.5 OZ. PBI/KEVLAR; AVAILABLE IN GOLD AND BLACK
 MOISTURE BARRIER MUST BE BREATHABLE
 THERMAL LINER "ARALITE" OR EQUAL

- STYLE: 32" COAT WITH THE FOLLOWING FEATURES:
 ZIPPER INNER, VELCRO OUTER CLOSURE SYSTEM
 TWO EXPANSION STYLE POCKETS ON LOWER HALF OF COAT; MINIMUM 9"X 9"
 KEVLAR HARD AND WRIST GUARDS

- RADIO POCKET WITH FLAP AND MICROPHONE CLIP NFPA 1971 COMPLIANT SCOTCHLITE NYC TRIPLE REFLECTIVE FRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE

TURNOUT COAT - "BEST - B" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COAT MUST BE SHORT 32" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 35.

MATERIAL COMPOSITION:

- OUTER SHELL SOUTHERN MILLS 7.5 OZ. MILLENIA IN NATURAL TAN.
- MOISTURE BARRIER CROSSTECH ON NOMEX PAJAMA CHECK.
- THERMAL LINER CALDURA SL W/2 LAYER E89.

SPECIFICATIONS VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 09-X-2206810 OPEN DATE : 08/20/09 TIME: 10:00 AM T-NIMBER : 7225

PAGE

9

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

STYLE: 32" COAT WITH THE FOLLOWING FEATURES:

- ZIPPER INNER, VELCRO OUTER CLOSURE SYSTEM
 TWO EXPANSION STYLE POCKETS ON LOWER HALF OF COAT; MINIMUM 9" X 9"
 RADIO POCKET WITH FLAP AND MICROPHONE CLIP
- NFPA 1971 COMPLIANT SCOTCHLITE NYC TRIPLE REFLECTIVE TRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE.

TURN-OUT PANTS: "BETTER" LEVEL; COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING A U.L. CERTIFICATION. PANTS MUST BE COMPATIBLE WITH SHORTCOAT DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40. SUSPENDERS TO BE INCLUDED.

MATERIAL COMPOSITION:

INVITATION TO BID

- OUTER SHELL- 7.0 NOMEX/KEVLAR "ADVANCE", AVAILABLE IN KHAKI, RUST, BLACK AND YELLOW.

 MOISTURE BARRIER MUST BE BREATHABLE
 THERMAL LINER "ARALITE" OR EQUAL

STYLE: HI-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:

- VELCRO, HOOK & D-RING CLOSURE SYSTEM TAKE-UP STRAPS FOR ADJUSTMENT
- SUEDE LEATHER KNEE PATCHES; MINIMUM 9"X10", DOUBLE STI EQUAL PADDED KNEES FOR ADDITIONAL THERMAL PROTECTIOON. DOUBLE STITCHED NOMEX OR
- TWO EXPANSION STYLE POCKETS ON THIGHS; MINIMUM 9" X 10" X 2" AND REINFORCED ON LOWER HALF.
- NFPA COMPLIANT 3" SCOTCHLITE TRIPLE REFLECTIVE CUFF TRIM.

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

TURN-OUT PANTS: "BEST- A" LEVEL; COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING A U.L. CERTIFICATION. PANTS MUST BE COMPATIBLE WITH SHORT COAT DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40. SUSPENDERS TO BE INCLUDED.

MATERIAL COMPOSITION:

- OUTER SHELL- 7.5 OZ. PBI/KEVLAR; AVAILABLE IN GOLD AND BLACK.
 MOISTURE BARRIER MUST BE BREATHABLE
 THERMAL LINER "ARALITE" OR EQUAL

- STYLE: III-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:

 VELCRO, HOOK & D-RING CLOSURE SYSTEM OR EQUAL.

 TAKE-UP STRAPS FOR ADJUSTMENT

 SUEDE LEATHER KNEE PATCHES; MINIMUM 9"X10", DOUBLE STITCHED NOMEX OR EQUAL PADDED KNEES FOR ADDITIONAL THERMAL PROTECTION.

 TWO EXPANSION STYLE POCKETS ON THIGHS; MINIMUM 9" X 10" X 2" AND REINFORCED ON LOWER HALF.

 NEPA COMPLIANT 3" SCOTCHLITE TRIDLE PERFORMING CHEE TRIM
- NFPA COMPLIANT 3" SCOTCHLITE TRIPLE REFLECTIVE CUFF TRIM.

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

TURN-OUT PANTS: "BEST- B" LEVEL; COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING A U.L. CERTIFICATION. PANTS MUST BE COMPATIBLE WITH SHORT COAT DESIGN, AND OFFER A MINIMUM TPP VALUE OF 35. SUSPENDERS TO BE INCLUDED.

MATERIAL COMPOSITION:

- OUTER SHELL- SOUTHERN MILLS 7.5 OZ. MILLENIA IN NATURAL TAN.
- MOISTURE BARRIER CROSSTECH ON NOMEX PAJAMA CHECK.
- THERMAL LINER CALDURA SL W/2 LAYER E89.

SPECIFICATIONS VENDOR NAME :

VENDOR NUMBER:

ITB NO.

: 09-X-2206810 : 08/20/09 TIME: 10:00 AM OPEN DATE

PAGE 10

T-NUMBER T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

STYLE: HI-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:

MUST BE MADE IN U.S.A.

INVITATION TO BID

- STYLE: H1-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:

 VELCRO, HOOK & D-RING CLOSURE SYSTEM

 TAKE-UP STRAPS FOR ADJUSTMENT

 SUEDE LEATHER KNEE PATCHES; MINIMUM 9" X 10", DOUBLE STITCHED NOMEX PADDED KNEES FOR ADDITIONAL THERMAL PROTECTION.

 TWO EXPANSION STYLE POCKETS ON THIGHS; MINIMUM 9" X 10" X 2" AND REINFORCED ON LOWER HALF.
- NFPA COMPLIANT 3" SCOTCHLITE TRIPLE REFLECTIVE CUFF TRIM.

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE. **** SPECIFICATION #340D01 FOR FIRE HOSE ****
DOUBLE JACKET: 1 1/2", 1 3/4", 2", 2 1/2", 3"

HOSE SHALL BE DOUBLE JACKET WITH 100% POLYESTER WOVEN EXTENSION & SYNTHETIC RUBBER TUBE WHICH SHALL BE OZONE RESISTANT WITH COUPLINGS ATTACHED TO EACH END. WEIGHT PER 50 FT. COUPLED HOSE SHALL NOT EXCEED 19 LBS. PRESSURE TEST SHALL INDICATE NO LESS THAN 600 P.S.I. BURSTING PRESSURE. HOSE SHALL MEET OR EXCEED NFPA STANDARD 1961 & UL STANDARD 19. TUBE SHALL BE OF SYNTHETIC MATERIAL WHICH SHALL MEET OR EXCEED UL, NFPA, & FM STANDARDS FOR MUNICIPAL FIRE HOSE. COUPLINGS SHALL BE OF EXTRUDED ALUMINUM, HAND COATED EXPANSION RING TYPE WITH THREE ROCKER LUGS ON MALE & FEMALE ENDS. ALL THREADS SHALL BE NST ROCKER LUGS ON MALE & FEMALE ENDS. ALL THREADS SHALL BE NST.

DETAILED SPECIFICATIONS PROVIDED AT MANDATORY PRE-BID CONFERENCE
***** SPECIFICATION #340D02 FOR MUNICIPAL FIRE SUPPLY HOSE ****** 4" AND 5" IN 100' LENGTHS
SPECIFICATIONS PROVIDED AT MANDATORY PRE-BID CONFERENCE
******* SPECIFICATION #340D03 FOR NOZZLE ***********************************
SHALL BE A COMBINATION FOG AND STRAIGHT STREAM WITH BALL SHUT OFF AND SHALL HAVE AT LEAST THREE FIXED CONSTANT GALLON SETTINGS WHICH CAN BE CHANGED WITHOUT SHUTTING DOWN THE FIRE STREAM. IT SHALL HAVE SPINNING TEETH, MULTIPLE PATTERN DETENTS. CONSTRUCTION SHALL BE OF CHROME
PLATED BRASS AND/OR ALUMINUM ALLOY AND SHALL HAVE A MINIMUM 110 DEGREE ANGLE AT WIDE FOG WITH FULL-TIME SWIVEL INLET, MUST BE CAPABLE OF
FLUSHING W/O SHUTTING DOWN. MUST MEET NFPA 1964 STANDARDS 1993 EDITION

SHALL BE OF POLY-RUBBER OR EQUIVALENT RUBBER MATERIAL TREATED WITH A SHALL BE OF POLY-RUBBER OR EQUIVALENT ROBBER MATERIAL TREATED WITH A POLYRETHANE PROTECTIVE COATING. SHALL BE RESISTANT TO OZONE, ABRASION, AND THE CORROSIVE ACTION OF ACIDS, ALKALIS, AND CAUSTICS. ALL SEAMS OF BOOTS SHALL BE VULCANIZED TO ASSURE WATERPROOFING. BOOTS SHALL HAVE STEEL SAFETY TOE TESTED TO ANSI Z41.1-1967, CLASS 75 STANDARDS AT 2500 POUNDS STACTIC PRESSURE. A MID-SOLE OF ONE PIECE STAINLESS STEEL, HEEL TO TOE, AND A TEMPERED STEEL SHANK SHALL BE REQUIRED IN BOOTS. BOOTS SHALL HAVE A HEAVY DUTY FELT, NYLON AND NET LINING THROUGHOUT WITH A CUSHION INSOLE. SOLES OF BOOTS SHALL BE TREADED IN SUCH MANNER AS TO ALLOW GREATEST TRACTION ON WET OR TREADED IN SUCH MANNER AS TO ALLOW GREATEST TRACTION ON WET OR SLIPPERY SURFACES. FULL-LOOPS ON BOOTS SHALL BE FABRIC COVERED AND PERMANENTLY BONDED INTO POSITION SO AS TO ASSURE THEY WILL NOT PULL OUT. BOOTS SHALL HAVE SAFETY YELLOW TRIM.

SHALL MEET OR EXCEED NFPA 1974 REQUIREMENTS.

VENDOR NAME : SPECIFICATIONS

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

PAGE 11

MANDATORY PRE-BID INSTRUCTIONS OVER >>>>>>

ATTACHMENTS VENDOR NAME :

VENDOR NUMBER:

TTB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235

PAGE 12

RETURN DATE: 08/19/09 TIME: 5:00 PM

MANDATORY PRE-BID CONFERENCE

VENDORS MUST ATTEND THE CONFERENCE IN ORDER TO BID. FAILURE TO ATTEND WILL RESULT IN BID REJECTION.

MANDATORY PER-BID CONFERENCE DATE, TIME, AND PLACE

INVITATION TO BID

DATE: AUGUST 7, 2009
TIME: 9:00 AM
PLACE: DIVISION OF PURCHASING
100 NORTH UNION STREET, STE 192
MONTGOMERY, AL 36104

SPECIAL NOTE *****************

PRICING PAGE COPIES FOR OPENING: EACH BIDDER ATTENDING THE BID OPENING IS REQUESTED TO BRING 15 SETS OF COPIES OF PAGES 15 - 30. DO NOT SUBMIT THESE SETS WITH BID AS THEY WILL NOT BE ACCEPTED. COPIES WILL BE HANDED OUT AT THE END OF THE BID OPENING.

ALSO NOTE THE ORIGINAL AND EXACT COMPLETE COPY REQUIREMENT ON PAGE 2, ITEM 7 OF THIS INVITATION TO BID. FAILURE TO SUBMIT THE ORIGINAL AND ONE COMPLETE EXACT COPY OF THE ITB TO INCLUDE THE REQUIRED DESCRIPTIVE LITERATURE WILL RESULT IN BID REJECTION.

VENDOR NUMBER: ITB NO. : 09-X-2206810 PAGE 13
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: R1 / STATEWIDE				
	BEGIN GROUPING LINES: 00001				
00001	COMMODITY CODE: 340-10-085181 COAT, FIREMAN "GOOD" LEVEL IN COLORS: WHITE, YELLOW, TAN PER SPECIFICATION 200D01	1	EA		
	MFR: MODEL LION BODY GUARD, MODEL BG1971 OR GLOBE, MODEL 10776-1 OR FIRE DEX, MODEL TEQP35, LAKELAND IND, MODEL ST2202/78 OR EQUAL COAT LENGTH				
00002	COMMODITY CODE: 340-10-085182 PANTS, FIREMAN "GOOD" LEVEL COLORS WHITE YELLOW AND TAN PER SPECIFICATION 200D02.	1	PR		
	MFR MODEL LION BODY GUARD, MODEL P1971 OR GLOBE, MODEL 20776-1 OR FIRE DEX, MODEL BEQP29, LAKELAND IND, MODEL ST2302/78 OR EQUAL				
	END GROUPING LINES: 00001 - 00002			GRP TOTAL	
	BEGIN GROUPING LINES: 00003				
00003	COMMODITY CODE: 340-10-085183 COAT, FIREMAN "GOOD" LEVEL, COLOR BLACK, PER SPECIFICATIONS 200D01.	1	EA		
	MFR MODEL LION BODY GUARD, MODEL BG1971 OR GLOBE, MODEL 10776-1 OR FIRE DEX, MODEL TEQP35, LAKELAND IND, MODEL ST2202/78 OR EQUAL COAT LENGTH				
00004	COMMODITY CODE: 340-10-085184 PANTS, FIREMAN "GOOD" LEVEL, COLOR BLACK PER SPECIFICATINS 200D02.	1	PR		
	MFR MODEL LION BODY GUARD, MODEL P1971 OR GLOBE, MODEL 20776-1 OR FIRE DEX, MODEL BEQP35, LAKELAND IND, MODEL ST2302/78 OR EQUAL				
	END GROUPING LINES: 00003 - 00004			GRP TOTAL	
	BEGIN GROUPING LINES: 00005				
00005	COMMODITY CODE: 340-10-085185 COAT, FIREMAN "BETTER" LEVEL IN COLORS	1	EA		
	PAGE TOTAL				

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	YELLOW, TAN, AND RUST PER SPECIFICATION 200D04. MFRMODEL_ LION LIBERTY, MODEL LIBC-A, OR GLOBE MODEL 82782-8, OR FIRE DEX, MODEL TEQB35 LAKELAND IND, MODEL STBA2205/62 OR EQUAL COAT LENGTH				
00006	COMMODITY CODE: 340-10-085186 PANTS, FIREMAN "BETTER" LEVEL IN COLORS YELLOW, TAN, AND RUST PER SPECIFICATIN 200D06. MFR MODEL LION LIBERTY, MODEL LIBP-A, OR GLOBE	1	PR		
	MODEL 92782-8, OR FIRE DEX, MODEL BEQB29 LAKELAND IND, MODEL STBA2305/62 OR EQUAL				
	END GROUPING LINES: 00005 - 00006 BEGIN GROUPING LINES: 00007				
	COMMODITY CODE: 340-10-085187 COAT, FIREMAN "BETTER" LEVEL, COLOR BLACK, PER SPECIFICATION 200D04.	1	EA		
	MFR MODEL LION LIBERTY, MODEL LIBC-AB, OR GLOBE MODEL 82782-8, OR FIRE DEX, MODEL TEQB35 LAKELAND IND, MODEL STBA2205/62 OR EQUAL COAT LENGTH				
00008	COMMODITY CODE: 340-10-085188 PANTS, FIREMAN "BETTER" LEVEL COLOR BLACK, PER SPECIFICATION 200D06. MFRMODEL LION LIBERTY, MODEL LIBP-AB, OR GLOBE MODEL 82872-8, OR FIRE DEX, MODEL BEQB29 LAKELAND IND, MODEL STBA2305/62 OR EQUAL	1	PR		
	END GROUPING LINES: 00007 - 00008				
	BEGIN GROUPING LINES: 00009				
00009	COMMODITY CODE: 340-10-085189 COAT FIREMAN "BEST" A LEVEL, COLOR BLACK PER SPECIFICATION 200D05.	1	EA		
	MFR MODEL LION LIBERTY, MODEL LIBC-PB, LAKELAND IND, MODEL STBA2219/62 OR EQUAL COAT LENGTH				
00010	COMMODITY CODE: 340-10-085190 PANTS, FIREMAN "BEST A LEVEL COLOR BLACK	1	PR		
	PAGE TOTAL				

VENDOR NUMBER:

ITB NO. : 09-X-2206810 PAGE 15
INVITATION TO BID OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. PER SPECIFICATION 200D07. ZMODEL LION LIBERTY, MODEL LIBP-PB, LAKELAND IND, MODEL STBA2319/62 OR EQUAL ---- --END GROUPING LINES: 00009 - 00010 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00011 ------ ---- -----00011 COMMODITY CODE: 340-10-085191 COAT, FIREMAN "BEST" A LEVEL COLOR GOLD 1 EAPER SPECIFICATION 200D05. _MODEL GLOBE, MODEL 81082-8, OR LIBERITY, MODEL LIBC-P, LAKELAND IND, MODEL STBA2219/62 OR QUAL COAT LENGTH_ 00012 COMMODITY CODE: 340-10-085192 PANTS, FIREMAN "BEST" A LEVEL COLOR GOLD PR PER SPECIFICATION 200D07. MFR MODEL
GLOBE, MODEL 91082-8, OR LIBERTY, MODEL
LIBP-P, LAKELAND IND, MODEL STBA2319/62 ---- --END GROUPING LINES: 00011 - 00012 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00013 -----00013 COMMODITY CODE: 340-10-085195 COAT, FIREMAN "BEST" B LEVEL COLOR: TAN PER SPECIFICATION 200D05. 1 EΑ MODEL GLOBE, MODEL 83077-4, MORING PRIDE MODEL LTO-33Q2-C, OR EQUAL COAT LENGTH COAT LENGTH_ 00014 COMMODITY CODE: 340-10-085196 PANTS, FIREMAN "BEST" B LEVEL, COLOR: TAN, PER SPECIFICATION 200D07. 1 PR MFR MODEL
GLOBE, MODEL 93077-4, MORNING PRIDE
MODEL LT0-33Q2-P, OR EQUAL ---- ---END GROUPING LINES: 00013 - 00014 ------00015 COMMODITY CODE: 340-10-085259 1 SET SUSPENDERS, 2" WEB 100% POLYESTER, 42-1/2 INCH LONG W/FOUR ELASTIC BACK STRAPS 10" LONG OF POLY BLEND & 22 GA. RUBBER STRANDS. NON-ELASTIC SHOULDER STRAPS PAGE TOTAL

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 09-X-2206810

OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.

COMMODITY/SERVICE DESCRIPTION

QUANTITY UNIT UNIT PRICE

EXTENDED AMOUNT

PAGE 16

WITH SLIDE ADJUSTERS. ALL METAL PARTS OF BRASS PLATED STEEL. NOMEX THREAD. BRASS PLATED STEEL BUTTONHOLE LOOPS SEWN TO 8 POINTS OF ATTACHMENT OF WEBBING. SPRING ACTION STEEL LOOP MUST ROTATE AROUND SUSPENDER BUTTON. TRIANGULAR BACK JUNC-TION: 5.5 OZ/SQ. FT. VEGETABLE TANNED LEATHER AND ONE LAYER OF CHROMED, TANNED SPLIT LEATHER MFR: STK# LION APPAREL, MODEL LSR7 OR GLOBE, MODEL 800307 OR EQUAL 00016 COMMODITY CODE: 340-10-085260 SUSPENDERS, 2" WEB 100% POLYESTER,42-1/2 INCH LONG W/FOUR ELASTIC BACK STRAPS 10" 1 SET LONG OF POLY BLEND & 22 GA. RUBBER STRANDS. NON-ELASTIC SHOULDER STRAPS WITH SLIDE ADJUSTERS. ALL METAL PARTS OF BRASS PLATED STEEL. NOMEX THREAD. BRASS PLATED STEEL BUTTONHOLE LOOPS SEWN TO 8 POINTS OF ATTACHMENT OF WEBBING. SPRING ACTION STEEL LOOP MUST ROTATE AROUND SUSPENDER BUTTON. TRIANGULAR BACK JUNC-TION: TRIANGULAR BACK JUNCTION: TON: 5.5 OZ/SQ. FT. VEGETABLE TANNED LEATHER AND ONE LAYER OF CHROMED, TANNED SPLIT LEATHER. 1" SCOTCHLITE TRIM LAMINATED ONTO EACH STRAP. SILVER TRIM USED ON RED SUSPENDERS, LIME-YELLOW TRIM ON BLACK SUSPENDERS. STK# LION APPAREL, MODEL LSR7SL OR EQUAL 00017 COMMODITY CODE: 340-10-085261 BOOTS, KNEE SAFETY TOE YELLOW TRIM SZ: 5 THRU 16 NARROW, MEDIUM, AND WIDE WIDTHS PR PER SPECIFICATION 800D01. MODEL SERVUS, MODEL 1454, OR EQUAL 00018 COMMODITY CODE: 340-10-085262 BOOTS, HIP SAFETY TOE YELLOW TRIM, SZ: 5 THRU 16 NARROW, MEDIUM, AND WIDE WIDTHS 1 PR PER SPECIFICATION 800D01. MODEL RANGER, MODEL 5104 OR SERVUS, MODEL 11457 OR EQUAL 00019 COMMODITY CODE: 340-10-085264 1 PR SHOES, SAFETY TOE, SOFT BLACK LEATHER UPPER W/WRAP-AROUND SOLE EDGES, HEEL CUSHIONING SYS., PADDED COMFORT COLLAR, LOW QUARTER-TOP, STEEL TOE. MEETS OR EXCEEDS ANS1 Z41 PT91, 175; C75 STEEL

PAGE TOTAL

ITB NO. : 09-X-2206810

INVITATION TO BID OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

EΑ

PR

F.Δ

1

RETURN DATE: 08/19/09 TIME: 5:00 PM

PAGE 17

LINE EXTENDED NO. COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT

TOP STANDARDS, SZ: 5 THRU 13 D-EEE.

MFR: STK:
RANGER, MODEL 6310, LACROSSE, MODEL 6551
NAFECO MODEL N502, OR EQUAL
SIZE: APPROX. 7-1/2 - 13 D-EEE.
SIZES PROVIDED TO SUCCESSFUL BIDDER.

00020 COMMODITY CODE: 340-10-085265
HELMET, FIREMANS WITH 4" WRAP AROUND
FACE SHIELD, CONSTRUCTED OF HEAT-RESISTAND FIGERGLASS TO MEET OR EXCEED OSHA
STANDARDS 1910-1971-1981 AND NFPA 1972;
1992 EDITION. CERTIFIED TO MEET OR EXCEED BOTY ANSI Z87.1.1989 STANDARD FOR
EYE PROTECTION AND NFPA STANDARD FOR
STRUCTURAL FIRE HELMETS 1972; 2007
EDITION PER SPECIFICATION 200C10.

MFR: MODEL BULLARD, MODEL FIREDOME, LION MODEL LH3710A, OR EQUAL

O0021 COMMODITY CODE: 340-10-085268
GLOVES, FIREMAN, MODACRYLIC THERMAL LINING WITH POLYURETHANE MOISTURE BARRIER HEAT/PRESSURE BONDED AND SEWN TO SHELL, GLOVE BACKS, THUMB, AND FINGER BACKS SHALL BE CONSTRUCTED OF ELKSKIN LEATHER TO PROVIDE LASTING SOFTNESS & DEXTERITY, GLOVE PALMS, PALM SIDE FINGERS, & GAUNTLET CUFFS SHALL BE CONSTRUCTED OF DOUBLE CHROME TANNED COWHIDE LEATHER/GLOVE PALM SHALL BE FITTED WITH AN ANTI-SLASH STRIP OF LEATHER NO LESS THAN 2" WIDE AND ALSO INCORPORATED INTO THUMB AND SIDE SEAMS, AND SECURED TO PALM WITH NOT LESS THAN FOUR (4) ROWS OF KEVLAR THREAD LOCKSTITCHING, LEATHER GAUNTLET CUFF FOR USE WITH THUMBHOLE COAT KNITWRISTS, NFPA CERTIFIED 1971, 1997 EDITION, SZ: XS-XXL

MFR_____MODEL_ AMERICAN, MODEL 5950 OR EAUAL

O0022 COMMODITY CODE: 340-10-085269
GLOVES, FIREMAN, MODACRLYIC THERMAL LINING WITH POLYURETHANE MOISTURE BARRIER
HEAT/PRESSURE BONDED AND SEWN TO SHELL,
GLOVE BACKS, THUMB, AND FINGER BACKS
SHALL BE CONSTRUCTED OF ELKSKIN LEATHER
TO PROVIDE LASTING SOFTNESS & DEXTERITY,
GLOVE PALMS, PALM SIDE FINGERS, AND PULL
TABS ON KNITWRIST SHALL BE DOUBLE CHROME
TANNED COWHIDE LEATHER, GLOVE PALM
SHALL BE FITTED WITH AN ANTI-SLASH STRIP
OF LEATHER NOT LESS THAN 2" WIDE AND
ALSO INCORPORATED INTO THUMB AND SIDE
SEAMS AND SECURED TO PALM WITH NOT LESS
THAN (4) ROWS OF KEVLAR THREAD LOCK-

PAGE TOTAL _____

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	STITCHING, 4" NOMEX-SPANDEX KNITWRIST WITH LEATHER PULLTAB, NFPA CERTIFIED 1971, 1997 EDITION, SZ: XS-XXL.				
	MFRMODEL_ AMERICAN, MODEL 5900 OR EQUAL				
00023	COMMODITY CODE: 340-10-085270 BAG, GEAR WITH OUTSIDE ZIPPER POCKET, 10" NYLON ZIPPER, HEAVY CORDURA NYLON, 2" WEB HANDLE, MIN. SIZE: 13-1/2" X 13" X24". COLOR: RED WITH MALTESE CROSS	1	EA		
	MFR: MODEL AMERICAN, MODEL B40RS OR EQUAL				
00024	COMMODITY CODE: 340-10-085271 HOOD, PROTECTIVE COMPATIBLE WITH ANY SELF CONTAINED BREATHING APPARATUS. CONSTRUCTED OF 100% NOMEX 8-8.5 OZ. SINGLE SEAM FLATLOCK CONSTRUCTION FOR HEAD AND BIB SECTIONS, HEAVY DUTY ELASTIC FACE WITH BARTACKED STRESS POINTS, NFPA CERTIFIED 1971, 1997 EDITION.	1	EA		
	MFR MODEL AMERICAN, MODEL 300.0400F OR EQUAL				
00025	COMMODITY CODE: 340-10-085272 HOOD, PROTECTIVE COMPATIBLE WITH ANY SELF CONTAINED BREATHING APPARATUS. 20% PBI 80% LENZING BLEND CONSTRUCTION, SIINLE SEAM LFATLOCKED CONSTRUCTION FOR HEAD AND BIB SECTIONS, HOOD HAS HEAVY DUTY ELASTIC FACE WITH BARTACKED STRESS POINTS, NFPA CERTIFIED 1971, 1997 EDITION.	1	EA		
	MFR MODEL AMERICAN, MODEL 300.0450F OR EQUAL				
00026	COMMODITY CODE: 340-36-085299 SPARE AIR BOTTLE, 30 MIN. SELF-CONTAINED BREATHING APPARATUS, ALUMINUM CYLINDER, CONTAINS 45 CU. FT. OF AIR, 2216 PSI. MUST MEET LATEST NFPA AND OSHA REQUIREMENTS, MUST BE INTERCHANGEABLE WITH MAJOR MFR EQUIPMENT.	1	EA		
	MFR: MODEL SURVIVAIR, MODEL 916103 OR INTERSPIRO MODEL 336-890-006, OR MSA, MODEL 801279 OR DRAGER, MODEL 4054856 OR ISI, MODEL 024-035-00 OR MSA, MODEL 469619 OR EQL.				
00027	COMMODITY CODE: 340-36-085300	1	EA		
	PAGE TOTAL				

ITB NO. : 09-X-2206810

F.Δ

EΑ

INVITATION TO BID OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

PAGE 19

LINE EXTENDED NO. COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT

SPARE AIR BOTTLE, 30 MIN. SELF-CONTAINED BREATHING APPARATUS-HALF COMPOSITE. CONTAINS 45 CU. FT. AIR, 4500 PSI, MUST MEET LATEST NFPA AND OSHA REQUIREMENTS, MUST BE INTERCHANGEABLE WITH MAJOR MFR. CURRENT EQUIPMENT.

MFR MODEL
SURVIVAIR, MODEL 915165, OR INTERSPIRO,
OR MSA, MODEL 801287, DRAGER, MODEL
9055700, OR ISI MODEL 024-098-00, OR
EOUAL

00028 COMMODITY CODE: 340-36-085301
SPARE AIR BOTTLE, 60 MIN. SELF-CONTAINED
BREATHIN APPARATUS-HALF COMPOSITE,
CONTAINS 90 CU. FT. AIR, 4500 PSI, MUST
MEET LATEST NFPA AND OSHA REQUIREMENTS,
MUST BE INTERCHANGABLE WITH MAJOR MFR.
CURRENT EQUIPMENT.

MFR MODEL
SURVIVAIR, MODEL 915182 OR INTERSPIRO
MODEL 336-890-037 OR MSA, MODEL 807588
OR DRAGER, MODEL 4055699 OR ISI, MODEL
124-004, OR EQUAL

O0029 COMMODITY CODE: 340-36-085302
BREATHING APPARATUS, SELF CONTAINED
(SCBA) W/AIR SUPPLY RATED FOR NO LESS
THAN 30 MINUTES WHEN FILLED TO CAPACITY
OF 45 CU. FT. AIR W/2216 PSI. BACK PAK
STYLE WITH ALUMINUM CYLINDER,
EQUIPPED W/500 PSI AUDIBLE
ALARM. WEB TYPE HARNESS. NONRUSTING
D-RING & SNAPS OR SAFETY BELT STYLE
CLOSURES REPLACEABLE WITH OUT TOOL OR
RIVETS. FACEPIECE DESIGNED TO ALLOW THE
GREATEST FIELD OF VISION. MADE OF CLEAR
SHATTER RESISTANT POLYCARBONATE OR
EQUAL. FIVE STRAP HEAD ASSEMBLY MADE OF
SILICONE RUBBER OR EQUAL TO ACCOMPLISH
THE BEST POSSIBLE SEAL TO FACE. HAS ITS
OWN SUITABLE CARRYING CASE. MEETS NFPA
1981 STANDARDS, 2007 EDITION.

MFR: MODEL SURVIVAIR PANTHER WARRIOR-07, OR INTERSPIRO, MODEL 608-321-420 OR MSA, MODEL 801376, EUM44002M0132 &801314, OR DRAGER, MODEL 4056600A, OR ISI, MODEL 707-150-00SC, OR SCOTT, MODEL AP-50S, OR EQUAL

00030 COMMODITY CODE: 340-36-085303
BREATHING APPARATUS, SELF CONTAINED
(SCBA) W/AIR SUPPLY RATED FOR NO LESS
THAN 60 MINUTES WHEN FILLED TO CAPACITY
OF 90 CU. FT. AIR W/4500 PSI. BACK PAK

1	EA		

PAGE TOTAL _____

ITB NO. : 09-X-2206810

PΑ

EΑ

F.Δ

INVITATION TO BID OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

PAGE 20

LINE EXTENDED NO. COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT

STYLE W/CYLINDERS OF HALF COMPOSITE MATERIAL. EQUIPPED W/500 PSI AUDIBLE ALARM. WEB TYPE HARNESS. NONRUSTING D-RING & SNAPS OR SAFETY BELT STYLE CLOSURES REPLACEABLE WITH OUT TOOL OR RIVETS. FACEPIECE DESIGNED TO ALLOW THE GREATEST FIELD OF VISION. MADE OF CLEAR SHATTER RESISTANT POLYCARBONATE OR EQUAL. FIVE STRAP HEAD ASSEMBLY MADE OF SILICONE RUBBER OR EQUAL TO ACCOMPLISH THE BEST POSSIBLE SEAL TO FACE. HAS ITS OWN SUITABLE CARRYING CASE. MEETS NFPA 1981 STANDARDS, 2007 EDITION.

MFR: MODEL
SURVIVAIR PANTHER WARRIOR-07, OR MSA
MODEL 801402 OR DRAGER, MODEL 4056600M
INTERSPIRO, MODEL 607-321-422 OR ISI,
MODEL VDX2, OR SURVIVAIR, MODEL 967000,
OR MSA, MODEL ECM42002M0132, OR EQUAL

00031 COMMODITY CODE: 340-41-056079 FOAM, AQUAS FILM FORMING (AFFF) 6% IN 5-GALLON PAILS. MUST MEET UL162 TYPE III LIST. MUST CARRY A MATERIAL SAFETY DATA SHEET.

MFR._____BRAND 3M OR ANGUS TRIDEX, OR BUCKEYE BFC-6, OR EQUAL

00032 COMMODITY CODE: 340-40-085275
GENERATOR, PORTABLE LIGHTWEIGHT
COMMERCIAL GRADE. 4,500 W MINIMUM OF
2 - 115 VOLT AND 1 - 230 V TWIST LOCK
RECEPTABLES. 4 CYCLE B&S ENGINE OR
EQUAL, MANUAL START, WITH SUITABLE
CARRYING HANDLES.

MFR: MODEL
WINCO, MODEL DL5000H, OR SML INDUSTRIES
MODEL VOLTMASTER A50RC, OR SEDCO MODEL
30241, OR EQUAL

00033 COMMODITY CODE: 340-40-085276
GENERATOR, PORTABLE LIGHTWEIGHT
COMMERCIAL GRADE. 6,000 W MINIMUM OF
2 - 115 VOLT AND 1 - 230 V TWIST LOCK
RECEPTABLES. 4 CYCLE B&S ENGINE OR
EQUAL, ELEC. START, WITH SUITABLE
CARRYING HANDLES.

MFR: MODEL
SML INDUSTRIES, MODEL VOLTMASTER A50ERC
OR WINCO, MODEL DL60001E, OR SEDCO MODEL
30211, OR EQUAL

PAGE TOTAL _____

ITB NO. : 09-X-2206810

OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.

INVITATION TO BID

COMMODITY/SERVICE DESCRIPTION

QUANTITY UNIT UNIT PRICE

EXTENDED AMOUNT

PAGE 21

FIRE PUMP, PORTABLE VEST TYPE 5-8 GAL. CAPACITY. CONSTRUCTED OF FLEXIBLE, FLAME RESISTANT VINYL WITH WELDED SEAMS. PUMP SHALL BE BRASS SLIDE ACTION. NOZZLE SHALL ADJUST FOR STREAM OR SPRAY WITHOUT THE USE OF SPECIAL TOOLS. VEST WILL HAVE ATTACHMENT FOR HOLDING PUMP. THE HOSE WILL BE OF A REINFORCED TYPE THAT WILL STAND UP UNDER NORMAL FIRE GROUND USE. THE HOSE SHALL BE AT LEAST 30 INCHES LONG. A FILTER OR SCREEN SHALL BE PROVIDED OF SUCH NATURE THAT IT WILL PREVENT CLOGGING OF THE NOZZLE.

MFR: _____MODEL#_ GEMTOR, MODEL AJ100 OR EQUAL

O0035 COMMODITY CODE: 340-36-056104

FIRE PUMP, PORTABLE BACK PACK 5 GAL S.S.
TANK OF NON-RUSTING CONTRUCTION.

PUMP SHALL BE OF BRASS SLIDE ACTION.

NOZZLE SHALL ADJUST FOR STREAM OR SPRAY
WITHOUT THE USE OF SPECIAL TOOLS. THE
HOSE SHALL BE OF A REINFORCED TYPE THAT
WILL STAND UP UNDER NORMAL FIRE GROUND
USE. THE HOSE SHALL BE AT LEAST 30
INCHES LONG. A FILTER OR SCREEN SHALL BE
PROVIDED OF SUCH NATURE THAT IT WILL
PREVENT CLOGGING OF THE NOZZLE. THE
FILTER CAP WILL BE ATTACHED TO THE TANK
WITH A BEADED CHAIN. THE CARRYING STRAPS
WILL BE HEAVY DUTY MATERIAL AND AT LEAST
1-3/4 INCHES WIDE.

MFR: MODEL# FIREHOOKS, MODEL 85700-RANGER OR EQUAL

00036 COMMODITY CODE: 340-36-056106
FIRE PUMP, COLLAPSIBLE BACKPACK 5 GAL
CAPACITY. TANK SHALL BE CONSTRUCTION OF
NEOPRENE/NYLON FABRIC.
PUMP SHALL BE OF BRASS SLIDE ACTION.
NOZZLE SHALL ADJUST FOR STREAM OR SPRAY
WITHOUT THE USE OF SPECIAL TOOLS. THE
HOSE SHALL BE OF A REINFORCED TYPE THAT
WILL STAND UP UNDER NORMAL FIRE GROUND
USE. THE HOSE SHALL BE AT LEAST 30
INCHES LONG. A FILTER OR SCREEN SHALL BE
PROVIDED OF SUCH NATURE THAT IT WILL
PREVENT CLOGGING OF THE NOZZLE. THE
BAG SHALL BE REINFORCED AT STRESS
POINTS.

MFR: MODEL#_INDIAN, MODEL 500FSV OR EQUAL

00037 COMMODITY CODE: 340-36-085277
PUMP, PORTABLE COMBINATION, INTEGRAL
WELDED STEEL TUBING FRAME WITH 2" MIN.
NPT FEMALE SUCTION INLET AND 2" ISO FE-

1 EA

1

EΑ

EA _____

PAGE TOTAL

MFR: MODEL FOL-DA-TANK, MODEL SSTFD-1500 OR HUSKY MODEL LS-1500, OR QUAL

VENDOR NUMBER:

ITB NO. : 09-X-2206810

INVITATION TO BID OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

PAGE 22

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. MALE DISCHARGE OUTLET, ALUMINUM BODY & VOLUTE, BRONZE IMPELLER, SS PUMP SHAFT, EXHAUST VENTURI PRIMING, MAX. 150 GPM, MAX. PRESSURE 280 PSI. MUST INCLUDE

18 HP AT 3600 RPM BRIGG & STRATTON
V-TWIN OHV WITH FUEL CAP. 3 GALLONS.
ELECTRIC START WITH RECOIL BACKUP. ELECTRIC START WITH RECOIL BACKUP.
PUMP MUST INCLUDE: THROTTLE LEVER,
PRIMING LEVER, MASER SWITCH, START
PUSH-BUTTON, CHOKE CONTROL, LOW OIL
PRESSURE WARNING DEVICE. SUCTION GAUGE
(2-1/2"D GYLCERIN FILLED, 30" HG VAC
TO 150 PSI). DISCHARGE GAUGE (2-1/2"D GYLCERIN FILLED, 0 TO 400 PSI). MFR: _MODEL HALE, MODEL HP100X OR EQUAL 00038 COMMODITY CODE: 340-36-085288 1 EΑ DROP TANK, COMPLETE WITH FRAME & LINER. NO LESS THAN 1000 GAL. FOL-DA-TANK, MODEL FDT-1000, C&R, MODEL 22-OZ-V-1000, OR HUSKY MODEL STE-1000, OR EOUAL 00039 COMMODITY CODE: 340-36-085289 DROP TANK, COMLETE WITH FRAME & LINER. EΑ NO LESS THAN 1500 GAL. MODEL FLO-DA-TANK, MODEL FDT-1500, C&R, MODEL 22-OZ-V-1500, OR HUSKY MODEL STF-1500, OR EQUAL 00040 COMMODITY CODE: 340-36-085290 DROP TANK, COMPLETE WITH FRAME & LINER. EΑ NO LESS THAN 2100 GAL. MODEL FOL-DA-TANK, MODEL FDT-2100 OR C & R 18 OZ-V-2100, OR HUSKY MODEL STF-2100, OR EOUAL 00041 COMMODITY CODE: 340-36-085291
BLADDER TANK, PORTABLE, FRAMELESS, 1500
US GALLONS WHEN FULL. 30 OZ. SAFETY
ORANGE VINYL WITH 1-1/4 R.F. WELDED
SEAMS, ONE THREADED 2-1/2" NST MALE HOSE
CONNECTION FOR BOTTOM DRAFTING, TWO (2) 1 EΑ DRAIN FLANGES IN TANK FOR DRAINING. COM-PACT STORAGE BAG INCLUDED.

PAGE TOTAL _____

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00042	COMMODITY CODE: 340-36-085292 BLADDER TANK, PORTABLE, FRAMELESS, 2000 US GALLONS WHEN FULL. 30 OZ. SAFETY ORANGE VINYL WITH 1-1/4 R.F. WELDED SEAMS, ONE THREADED 2-1/2" NST MALE HOSE CONNECTION FOR BOTTOM DRAFTING, TWO (2) DRAIN FLANGES IN TANK FOR DRAINING. COM- PACT STORAGE BAG INCLUDED.		EA		
	MFR: MODEL FOL-DA-TANK, MODEL SSTFD-2000 OR HUSKY MODEL LS-2000, OR EQUAL				
00043	COMMODITY CODE: 340-36-085293 STRAINER, LOW FLOW DROP TANK. 2-1/2" VALVE. MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.	1	EA		
	MFR: MODEL KOCHECK, MODEL LF25 OR EQUAL	-			
00044	COMMODITY CODE: 340-36-085294 STRAINER, LOW FLOW DROP TANK 3"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.	1	EA		
	MFR: MODEL KOCHECK, MODEL LF30 OR EQUAL	-			
00045	COMMODITY CODE: 340-36-085295 STRAINER, LOW FLOW FOR DROP TANK 4"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.		EA		
	MFR: MODEL KOCHECK, MODEL LF40 OR EQUAL	-			
00046	COMMODITY CODE: 340-36-085296 STRAINER, LOW FLOW FOR DROP TANK 4-1/2" VALVE. MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.	1	EA		
	MFR: MODEL KOCHECK, MODEL LF45 OR EQUAL	-			
00047	COMMODITY CODE: 340-36-085297 STRAINER, LOW FLOW FOR DROP TANK 5"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.	1	EA		
	MFR: MODEL KOCHECK, MODEL LF50 OR EQUAL	-			
00048	COMMODITY CODE: 340-36-085298 STRAINER, LOW FLOW FOR DROP TANK 6"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.		EA		
	PAGE TOTAL				

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00049	MFR: MODEL KOCHECK, MODEL LF60 OR EQUAL COMMODITY CODE: 340-64-056165 FOAM IN-LINE EDUCTOR, CAST BRASS. MFR: STK#	1	EA		
00050	AKRON 3095 OR TFT MODEL UE-095-NF, OR EQUAL	1	T-1 7		
00050	COMMODITY CODE: 340-64-056144 FOAM IN-LINE EDUCTOR, CAST BRASS. MFR:STK# ELKHART #241-95 OR EQUAL.	1	EA		
00051	COMMODITY CODE: 340-88-073414 VALVE, WATER DUMP 10" HYDRAULIC CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY.	1	EA		
00052	MFR: STK# STOCK, MODEL 1070A OR EQUAL COMMODITY CODE: 340-88-073415 VALVE, WATER DUMP 10" MANUAL CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING	1	EA		
	AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY. MFR: STK# STOCK, MODEL 1050 OR EQUAL				
00053	COMMODITY CODE: 340-88-073416 VALVE, WATER DUMP 10" ELECTRICAL CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY. MFR:STK#_ STOCK, MODEL 1070 OR EQUAL	1	EA		
	COMMODITY CODE: 340-88-073418 VALVE, WATER DUMP 12" MANUAL CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY.	1	EA		
00055	MFR: STK# STOCK, MODEL 1212 OR EQUAL COMMODITY CODE: 340-88-056136 VALVE, HYDRANT GATE 2-1/2 X 2-1/2 WITH	1	EA		
	PAGE TOTAL				

INVITATION TO BID

PAGE TOTAL

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 09-X-2206810

TTB NO. : 09-X-2206810 OPEN DATE : 08/20/09 TIME: 10:00 AM

PAGE 25

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. BALL SHUT-OFF. STK# ELKHART, MODEL B96A, HARRINGTON, MODEL BV25HN, OR EQUAL 00056 COMMODITY CODE: 340-14-081447
VENTILATOR, POSITIVE PRESSURE HIGH
PERFORMANCE HONDA FOUR-CYCLE ENGINE ONLY
(NO GAS/OIL MIX). "ON-OFF" SWITCH, FUEL
SHUT OFF, LEVER TYPE ADJUSTABLE THROTTLE
ELECTRIC IGNITION WITH "COMPRESSION
PELFASE" "LOW OIL ALERT" SENSOR PROJUE-1 EAELECTRIC IGNITION WITH "COMPRESSION RELEASE", "LOW OIL ALERT" SENSOR REQUIRED. AIR FLOW NOT LESS THAN 9,000 CFMS. BLADES ENCASED WITH RUGGED SHROUD AND GRILL DESIGNED SO CLOTHING, HANDS ETC. WILL NOT REACH BLADES & ALLOW FOR MAX. AID FLOW AIR FLOW. MFR: STK#SUPER VAC, MODEL 720G4H OR VENTRY, MODEL GX120, OR HURRICAN, MODEL HM-20-5.5 OR OR EQUAL 00057 COMMODITY CODE: 340-56-019822 HOSE, FIRE 100' STANDPIPE 1-1/2" EΑ POLYESTER, SINGLE JACKET RUBBER LINED PER SPECIFICATIONS PROVIDED AT PRE BID. MODEL IMPERIAL, MODEL 70S315100 OR EQUAL 00058 COMMODITY CODE: 340-56-056127 HOSE, BOOSTER 1" 100' WITH COUPLINGS. SHALL BE MADE OF ABRASION, OZONE AND WEATHER RESISTANT SYNTHETIC RUBBER WITH 1 EΑ WEATHER RESISTANT SYNTHETIC RUBBER WITH SMOOTH OUTER COVERING WITH COUPLINGS ATTACHED TO EACH END. RED IN COLOR. PRESSURE TEST SHALL INDICATE A WORKING PRESSURE OF NOT LESS THAN 800 P.S.I. WEIGHT OF HOSE PER 100 FT. OF 1" SHALL NOT EXCEED 60 POUNDS. COUPLINGS SHALL BE LIGHT WEIGHT HARD COAT ALUMINUM. FULL FLOW DESIGN SHALL BE NONCOLLAPSIBLE MFR____MODEL_ FIRE QUIP, MODEL 800 PSI OR EQUAL 00059 COMMODITY CODE: 340-64-056128 NOZZLE, FIRE HOSE 1" AKRON 1 EΑ PER SPECIFICATION #340D03 AKRON, MODEL 1701 OR ELKHART, MODEL SFS OR EQÚAL

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00060	COMMODITY CODE: 340-64-056129 NOZZLE, FIRE HOSE 1-1/2" AKRON PER SPECIFICATION #340D03	1	EA		
	MFR: STK# AKRON, MODEL 1715 OR ELKHART, MODEL SFL OR TFT MODEL FQS125S, OR EQUAL				
00061	COMMODITY CODE: 340-64-056130 NOZZLE, FIRE HOSE 1-3/4" MULTI-GALLON NOT AUTOMATIC.	1	EA		
	MFR: STK# AKRON, MODEL 1722P OR ELKHART, MODEL SFM OR EQUAL				
00062	COMMODITY CODE: 340-64-056131 NOZZLE, FIRE HOSE 2-1/2" AKRON PER SPECIFICATION #340D03	1	EA		
	MFR: STK# AKRON, MODEL 1725 OR ELKHART, MODEL DSF OR TFT MODEL JTS250S, OR EQUAL				
00063	COMMODITY CODE: 340-40-056108 FLAP, FIRE 12"W X 15"L FABRIC REINFORCED RUBBER FLAP. 5 FT. HEAVY DUTY HANDLE.	1	EA		
	MFR: STK# COUNCIL, MODEL FS15 OR GFE MODEL FB-15, OR EQUAL				
00064	COMMODITY CODE: 340-40-056109 RAKE, FIRE W/5 FT. HANDLE	1	EA		
	MFR: MODEL# COUNCIL, MODEL LW12-60 OR GFE MODEL FR-12, OR EQUAL				
00065	COMMODITY CODE: 340-40-085278 CROWBAR, 36 INCH FORGED STEEL USED IN FIRE FIGHTING	1	EA		
	MFR: MODEL COUNCIL, MODEL 60PP OR GFE MODEL PPB-36, OR EQUAL				
00066	COMMODITY CODE: 340-40-085279 LADDER, ALUMINUM ROOF W/HOOKS 12' 2",	1	EA		
	MFR MODEL ALCOLITE, MODEL PRL-12 OR EQUAL				
00067	COMMODITY CODE: 340-40-085280 LADDER, ALUMINUM ROOF W/HOOKS 14'	1	EA		
	PAGE TOTAL				

INVITATION TO BID

PAGE 27

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM LINE EXTENDED

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	MFR: MODEL ALCOLITE, MODEL PRL-14 OR EQUAL				
00068	COMMODITY CODE: 340-40-085281 LADDER, ALUMINUM FOLDING 10' FOLDED LENGTH 11', FOLDED WIDTH 2-1/4", WIDTH OPEN 12-1/2", THICKNESS 1-1/2", WEIGHT 14 LBS.	1	EA		
	MFR MODEL ALCOLITE, MODEL FL-10 OR EQUAL				
00069	COMMODITY CODE: 340-40-056147 AXE, PICK-HEAD W/WOODEN HANDLE 6 LB.	1	EA		
	MFR: STK# COUNCIL, MODEL 60P OR GFE, MODEL WP-6 OR EQUAL				
00070	COMMODITY CODE: 340-40-081461 AXE, PICK-HEAD, FIBERGLASS HANDLE 6 LB.	1	EA		
	MFR: STK# COUNCIL, MODEL C60P OR GFE, MODEL PHY OR EQUAL				
00071	COMMODITY CODE: 340-40-056148 AXE, FLAT-HEAD W/WOODEN HANDLE 6 LB.	1	EA		
	MFR: STK# COUNCIL, MODEL 60F OR GFE, MODEL WF-6 OR EQUAL				
00072	COMMODITY CODE: 340-40-081462 AXE, FLAT-HEAD, FIGERGLASS HANDLE 6 LB.	1	EA		
	MFR: STK# COUNCIL, MODEL C60F OR GFE, MODEL FHR-6 OR EQUAL				
00073	COMMODITY CODE: 340-40-056149 POLE, PIKE 6'	1	EA		
	MFR: STK# FIRE HOOKS, MODEL FHLW6 OR EQUAL				
00074	COMMODITY CODE: 340-40-081463 POLE, PIKE 6' W/FIGERGLASS HANDLE	1	EA		
	MFR: STK# NUPLA, MODEL YPD-6 OR GFE, MODEL PP-6 OR EQUAL				
00075	COMMODITY CODE: 340-40-056150 POLE, PIKE 8'	1	EA		
	MFR:STK#FIRE HOOKS, MODEL LW8 OR EQUAL				
	PAGE TOTAL				

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00076	COMMODITY CODE: 340-40-081464 POLE, PIKE 8' W/FIGERGLASS HANDLE	1	EA		
	MFR:STK#_ NUPLA, MODEL YPD-8, OR GFE, MODEL PP-8 OR EQUAL				
00077	COMMODITY CODE: 340-40-056151 CUTTER, BOLT 36" UNBREAKABLE FORGED STEEL.	1	EA		
	MFR:STK#FIRE HOOKS, MODEL BC-36 OR EQUAL				
00078	COMMODITY CODE: 340-14-056138 SMOKE EJECTOR, 16"	1	EA		
	MFR: STK# RAMFAN, MODEL EFC-50, FANTRAXX MODEL V16-1, OR SUPER VAC, MODEL P164S OR EQL				
00079	COMMODITY CODE: 340-12-056139 WYE, GATED 2-1/2" X 1-1/2" X 1-1/2" LIGHTWEIGHT NST THREADS, BALL SHUTOFF.	1	EA		
	MFR: STK#_ELKHART, MODEL B100A, TFT MODEL AYNJ-NF, OR EQUAL				
08000	COMMODITY CODE: 340-56-019820 HOSE, 50' STANDPIPE 1-1/2" POLYESTER SINGLE JACKET, RUBBER LINED.	1	EA		
	PER ATTACHED SPECIFICATIONS.				
	MFR MODEL IMPERIAL, MODEL 70S61550 OR EQUAL				
00081	COMMODITY CODE: 340-56-019821 HOSE, 75' STANDPIPE 1-1/2" POLYESTER SINGLE JACKET, RUBBER LINED.	1	EA		
	PER ATTACHED SPECIFICATIONS.				
	MFRMODEL_ IMPERIAL, MODEL 70S61575 OR EQUAL				
00082	COMMODITY CODE: 340-56-056121 HOSE FIRE, INTERIOR PROTECTION 1-1/2"X 50' NST BRASS ROCKER LUG COUPLINGS. 100% SYNTHETIC SINGLE JACKET LINED.	1	EA		
	MFR: STK# IMPERIAL, MODEL 70RR1550 OR EQUAL				
	PAGE TOTAL				

INVITATION TO BID

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00083	COMMODITY CODE: 340-56-019921 HOSE, FIRE 1-1/2" 50' WITH COUPLINGS. PER SPEC 340D01	1	EA		
	MFR:STK# IMPERIAL, MODEL 70D81150 OR EQUAL				
00084	COMMODITY CODE: 340-56-056122 HOSE FIRE, 1-3/4" 50' WITH COUPLINGS. PER SPEC 340D01.	1	EA		
	MFR: STK# IMPERIAL, MODEL 70D817550 OR EQUAL				
00085	COMMODITY CODE: 340-56-019927 HOSE, FIRE 2-1/2" 50' WITH COUPLINGS. PER SPEC #340D01	1	EA		
	MFR: STK# IMPERIAL, MODEL 70D82550 OR EQUAL				
00086	COMMODITY CODE: 340-56-019930 HOSE, FIRE 3" 50' W/COUPLINGS PER SPECIFICATION #340D01	1	EA		
	MFR:STK# IMPERIAL, MODEL 70D83050 OR EQUAL				
00087	COMMODITY CODE: 340-56-056123 HOSE, FIRE 4" 100' WITH COUPLING, EXPAN- SION TYPE COUPLINGS. PER SPECIFICATIONS #340D02	1	EA		
	MFR: MODEL#_ANGUS, MODEL HV4100NST OR EQUAL				
00088	COMMODITY CODE: 340-56-056124 HOSE, FIRE 4" 100' LENGTH WITH 1/2 TURN QUICK CONNECT. PER SPEC #340D02	1	EA		·
	MFR: MODEL# ANGUS, MODEL HV4100STZ OR EQUAL				
00089	COMMODITY CODE: 340-56-056125 HOSE, FIRE 5" 100' WITH COUPLING, EXPAN- SION TYPE COUPLINGS. PER SPECIFICATIONS #340D02		EA	,	
	MFR: MODEL#_ANGUS, MODEL HV5100NST OR EQUAL				
00090	COMMODITY CODE: 340-56-056126 HOSE, FIRE 5" 100' LENGTH WITH 1/2 TURN	1	EA		
	PAGE TOTAL				

INVITATION TO BID

PAGE TOTAL

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 09-X-2206810

OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

PAGE 30

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. QUICK CONNECT. PER SPEC #340D02 ANGUS, MODEL HV5100STZ OR EQUAL DETAILED SPECIFICATIONS FOR ABOVE HOSE WILL BE PROVIDED AT MANDATORY PRE-BID CONFERENCE ***************************** 00091 COMMODITY CODE: 340-64-056135 1 FΑ NOZZLE, FIRE HOSE FOG BRASS-ADJUSTABLE 1-1/2" 60 GPM. ELKHART, MODEL L-206-T OR EQUAL 00092 COMMODITY CODE: 340-40-085282 1 EΑ LADDER, ALUMINUM EXTENSION 24-25' MODEL ALCOLITE, MODEL PEL-24 OR EQUAL 00093 COMMODITY CODE: 340-40-081455 EΑ HANDLIGHT, FIREFIGHTER THERMOPLASTIC BODY SEALED FOR MOISTURE CONTROL, 12V VEHICLE MOUNTABLE HARD-WIRE RACK CHARG-ING UNIT & CARRYING STRAP. 10AH 6V LEAD ACID BATTERY, 25,000 BCP LAMP, MAX. 7LB. CHARGER MUST BE DESIGNED IF POWER IS APPLIED IN REVERSE, LIGHT WILL NOT BE DAMAGED. INDICATES WHEN CHARGING AND WHEN FULLY CHARGED. STK# STREAMLIGHT, MODEL SL-45107 OR EQUAL 00094 COMMODITY CODE: 340-10-085273
HELMET, FIREMANS WITH 6" WRAP AROUND
FACE SHIELD, CONSTRUCTED OF HEAT-RESISTAND FIGERGLASS TO MEET OR EXCEED OSHA
STANDARDS 1910-1971-1981 AND NFPA 1972;
1992 EDITION. CERTIFIED TO MEET OR EXCEED BOTY ANSI Z87.1.1989 STANDARD FOR
EYE PROTECTION AND NFPA STANDARD FOR
STRUCTURAL FIRE HELMETS 1972; 2007
EDITION PER SPECIFICATION 200C10. 1 EACAIRNS, MODEL 664 OR BULLARD, MODEL FIREDOME OR EQUAL 00095 COMMODITY CODE: 340-36-085304 SKID UNIT W/200 GAL TANK, 150 GPM PUMP WITH CONTROL PANELS AND VALVES. EΑ

PRICE SHEET VENDOR NAME :

PAGE 31

VENDOR NUMBER: ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM INVITATION TO BID

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO. AMOUNT

WILL BE PROVIDED AT THE PRE-BID.

MFR____MODEL_
TUPELO MODEL, AL-SKID OR EQUAL

PAGE TOTAL BID TOTAL